



BSI Standards Publication

Friction stir welding - Aluminium

Part 1: Vocabulary

bsi.

National foreword

This British Standard is the UK implementation of EN ISO 25239-1:2020. It is identical to ISO 25239-1:2020. It supersedes BS EN ISO 25239-1:2011, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee WEE/-/1, Briefing committee for welding.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020
Published by BSI Standards Limited 2020

ISBN 978 0 539 04087 6

ICS 25.160.10; 01.040.25

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2020.

Amendments/corrigenda issued since publication

Date	Text affected

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 25239-1

July 2020

ICS 01.040.25; 25.160.10

Supersedes EN ISO 25239-1:2011

English Version

Friction stir welding - Aluminium - Part 1: Vocabulary
(ISO 25239-1:2020)

Soudage par friction-malaxage - Aluminium -
Partie 1: Vocabulaire (ISO 25239-1:2020)

Rührreibschweißen - Aluminium - Teil
1: Begriffe (ISO 25239-1:2020)

This European Standard was approved by CEN on 12 July 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2020 CEN

All rights of exploitation in any form and by any means reserved
worldwide for CEN national Members

Ref. No. EN ISO 25239-1:2020: E

European foreword

This document (EN ISO 25239-1:2020) has been prepared by Technical Committee ISO/TC IIW "International Institute of Welding" in collaboration with Technical Committee CEN/TC 121 "Welding and allied processes" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2021, and conflicting national standards shall be withdrawn at the latest by January 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 25239-1:2011.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 25239-1:2020 has been approved by CEN as EN ISO 25239-1:2020 without any modification.

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
Bibliography	15

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by IIW, *International Institute of Welding*, Commission III, *Resistance Welding, Solid State Welding and Allied Joining Process*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 121, *Welding and allied processes*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 25239-1:2011), which has been technically revised.

The main changes compared to the previous edition are as follows:

- new definitions have been added for joint area deformation, operator, plunge phase, root flaw, stationary shoulder tool and temperature control;
- definitions of incomplete penetration, multi run welding, production welding test and single run welding have been deleted.

A list of all parts in the ISO 25239 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Welding processes are widely used in the fabrication of engineered structures. During the second half of the twentieth century, fusion welding processes, wherein fusion is obtained by the melting of parent material and usually a filler metal, dominated the welding of large structures. In 1991, Wayne Thomas at TWI invented friction stir welding (FSW), which is carried out entirely in the solid phase (no melting).

The increasing use of FSW has created the need for this document in order to ensure that welding is carried out in the most effective way and that appropriate control is exercised over all aspects of the operation. This document focuses on the FSW of aluminium because, at the time of publication, the majority of commercial applications for FSW involved aluminium. Examples include railway carriages, consumer products, food processing equipment, aerospace structures, and marine vessels.

Copyright British Standards Institution
Provided by IHS Markit under license with BSI - Uncontrolled Copy
No reproduction or networking permitted without license from IHS

This page deliberately left blank

Copyright British Standards Institution

Provided by IHS Markit under license with BSI - Uncontrolled Copy

No reproduction or networking permitted without license from IHS

Licensee=Lloyds Register Group Services/5989898001, User=Wang, Kenan
Not for Resale, 01/04/2021 18:42:17 MST

Friction stir welding – Aluminium –

Part 1: Vocabulary

1 Scope

This document defines terms related to friction stir welding.

In this document, the term “aluminium” refers to aluminium and its alloys.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 25901 (all parts), *Welding and allied processes — Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TR 25901 (all parts) and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>


3.1

adjustable tool probe

tool whose probe length, rotation speed and direction of probe rotation are adjustable. Rotation speed and direction of probe rotation may be different from those of the shoulder during welding

Note 1 to entry: See [Figure 1](#).

Note 2 to entry: This tool enables joining to be accomplished without creating excessive toe flash at the start and exit hole.


**Key**

1 shoulder	6 probe at required position for welding
2 unwelded workpiece	7 probe moving upward
3 probe	a Direction of probe rotation.
4 probe moving downward	b Direction of shoulder rotation.
5 welded workpiece	c Direction of welding.

Figure 1 — Adjustable tool probe**3.2****advancing side**

side of the weld where the direction of tool rotation is the same as the direction of welding

Note 1 to entry: See [Figure 2](#).



Key

- 1 workpiece
- 2 tool
- 3 shoulder
- 4 probe
- 5 weld face
- 6 retreating side of weld
- 7 advancing side of weld
- 8 exit hole

- a Direction of tool rotation.
NOTE A clock-wise rotation is shown in this figure.
- b Downward motion of tool.
- c Axial force.
- d Direction of welding.
- e Upward motion of tool.

Figure 2 — Basic principle of friction stir welding

**3.3
axial force**

<friction stir welding> force applied to the workpiece along the axis of tool rotation

Note 1 to entry: See [Figure 2](#).

3.4

bobbin tool

tool with two shoulders separated by a fixed length or an adjustable length probe

Note 1 to entry: The self-reacting bobbin tool allows the shoulders to automatically maintain contact with the workpiece.

Note 2 to entry: See [Figure 3](#).

3.5

dwell time at end of weld

<friction stir welding> time interval after travel has stopped, but before the rotating tool has begun to withdraw from the weld

Note 1 to entry: See t_5 in [Figure 4](#).

3.6

dwell time at start of weld

<friction stir welding> interval between the end of the plunge phase and the start of travel


Note 1 to entry: See t_3 in [Figure 4](#).

3.7

exit hole

hole remaining at the end of a weld after the withdrawal of the tool


Note 1 to entry: See [Figure 2](#).



Key

1	workpiece	6	lower shoulder
2	upper tool	a	Direction of tool rotation.
3	upper shoulder	b	Direction of welding.
4	probe	c	Force on the upper shoulder.
5	lower tool	d	Force on the lower shoulder.

Figure 3 — Bobbin tool



Key

F_a	axial force (chain dotted line)	1	start rotation
n	rotational speed (dashed line)	2	tool contacts workpiece
t	time	3	shoulder contacts workpiece
t_1	time where the tool moves toward workpiece	4	start travel
t_2	time of plunge phase	5	stop travel
t_3	dwell time at start of weld	6	tool retracts from the weld
t_4	tool travel time	7	stop rotation
t_5	dwell time at end of weld	8	rise in axial force
t_6	time where the tool moves away from workpiece	9	constant axial force

NOTE The schematic is representation of the basic process. In general, the individual parameters can vary during the process.

Figure 4 — Generalized diagram of friction stir welding as shown in [Figure 2](#)

3.8

faying surface

surface of one component that is intended to be in contact with a surface of another component to form a joint

[SOURCE: ISO 17659:2002, 3.4]

3.9

fixed probe

fixed length probe protruding from the shoulder, whose rotation and movement are the same as the shoulder

3.10

force control


<friction stir welding> method of maintaining the required force on the tool during welding

3.11

joint area deformation

<friction stir welding> deformation produced during welding near the joint at one or both sides of the weld

Note 1 to entry: See [Figure 5](#).



Key

h depth of joint area deformation

t thickness

Figure 5 — Joint area deformation

**3.12
friction stir welding
FSW**

joining process producing a weld by the friction heating and mixing of material in the plastic state caused by a rotating tool that traverses along the tool path

Note 1 to entry: See [Figures 2](#) and [4](#).


**3.13
heel**

<friction stir welding> portion of the tool shoulder at the rear of the tool relative to its forward motion

Note 1 to entry: See [Figure 6](#).

**3.14
heel plunge depth**
distance the heel extends into the weld metal

Note 1 to entry: See [Figure 6](#).



a) Side view of butt joint

b) View in the direction of welding of a tailor welded blank

Key

1	workpiece	b	Tool rotation.
2	tool	c	Tilt angle.
3	heel	d	Direction of welding.
a	Heel plunge depth.	e	Side tilt angle.

Figure 6 — Side tilt angle, heel, heel plunge depth, and tilt angle

3.15

hook

<friction stir welding> un-bonded and curved faying surfaces on the advancing or retreating side of a lap weld

Note 1 to entry: The hook can either turn upward or downward. [Figure 7](#) c) shows a hook turning upward.

3.16

lateral offset

<friction stir welding> typically in a butt weld it is the lateral distance from the tool axis to the faying surface

Note 1 to entry: See [Figure 9](#).




Figure 7 — Cross-section of friction stir lap weld showing hook




Figure 8 — Cross-section showing example of root flaws in full thickness butt weld

3.17

multiple spindles

friction stir welding system with two or more spindles

3.18

operator

<friction stir welding> person who operates automatic friction stir welding equipment only and has no direct influence on the welded joint quality

Note 1 to entry: An operator does not require qualification in accordance with ISO 25239-3.

Note 2 to entry: For welding operators, see [3.37](#).

3.19

plunge phase

<friction stir welding> tool penetration sequence from probe contact to a programmed value e.g. penetration depth, axial force

3.20

position control

<friction stir welding> method of maintaining the required position of the tool during welding

3.21

probe

<friction stir welding> part of the tool extending into the parent material to make the weld

Note 1 to entry: The probe can be either fixed or adjustable, see [Figures 1, 2, and 10](#).

3.22

production sample welding test

test of a welded product from production

3.23

retreating side

side of the weld where the direction of tool rotation is opposite to the direction of welding

Note 1 to entry: See [Figure 2](#).

3.24

root flaw

<friction stir welding> region at the root of the weld with insufficient mixing

Note 1 to entry: See [Figure 8](#).

3.25

shoulder

<friction stir welding> portion of the tool in contact with the surface of the workpiece during welding

Note 1 to entry: The rotational speed and/or rotational direction can differ from that of the probe.

Note 2 to entry: See [Figure 10](#).


3.26

side tilt angle

angle between the centreline of the tool and a line perpendicular to the surface of the work piece, measured in a plane perpendicular to the direction of welding

Note 1 to entry: See [Figure 6](#).






Key

1	workpiece	b	Direction of welding.
2	tool	c	Joint (faying surfaces).
3	probe	d	Lateral offset.
4	weld face	e	Location of joint before welding.
a	Direction of tool rotation.	f	Tool centreline.

Figure 9 — Lateral offset showing the centreline of the tool not centred on the joint

**Key**

- 1 tool
- 2 shoulder
- 3 probe

Figure 10 — Example of a friction stir welding tool**3.27****single spindle**

<friction stir welding> friction stir welding system with one spindle

3.28**standard welding test**

welding and testing of a standardized test piece in order to qualify a welding operator

3.29**stationary shoulder tool**

tool having a shoulder that travels with the probe but does not rotate

3.30**stirred zone**

region in the centre of the weld where a fine-grained, equiaxed microstructure exists

3.31**temperature control**

<friction stir welding> method of maintaining the required temperature during welding

3.32**tilt angle**

<friction stir welding> angle between the centreline of the tool and a line perpendicular to the surface of the work piece, opposite to the direction of welding

Note 1 to entry: See [Figure 6](#).


Note 2 to entry: Typical tilt angles are 0° to 5°.

3.33

toe flash

imperfection consisting of excessive metal protruding above the weld face or material expelled along the toe during welding

Note 1 to entry: See [Figure 11](#).



Key

- 1 workpiece
- 2 toe flash
- 3 weld face

Figure 11 — Toe flash

3.34

tool

<friction stir welding> component that includes the shoulder and probe

Note 1 to entry: A tool usually has a shoulder and a probe, but a tool can have more than one shoulder or more than one probe. In addition, a tool may not have a shoulder or a probe.

Note 2 to entry: See [Figure 10](#).


3.35

underfill

depression resulting when the weld face is below the adjacent parent material surface

Note 1 to entry: See [Figure 12](#).

Note 2 to entry: This is a common characteristic of the friction stir welding process.



Key

- h depth of underfill
- t thickness

Figure 12 — Underfill

3.36 weld overlap area WOA

area where a subsequent weld overlaps a portion of a previous weld

Note 1 to entry: A WOA where the end of the weld overlaps the start of the weld is common during pipe welding.

3.37 welding operator

<friction stir welding> person who can perform fully mechanized and automatic friction stir welding and can have direct influence on the welded joint quality

Note 1 to entry: A welding operator requires qualification in accordance with ISO 25239-3.

3.38 welding procedure specification

WPS

Bibliography

- [1] ISO 6520-1, *Welding and allied processes — Classification of geometric imperfections in metallic materials — Part 1: Fusion welding*
- [2] ISO 10042, *Welding — Arc-welded joints in aluminium and its alloys — Quality levels for imperfections*
- [3] ISO 15607, *Specification and qualification of welding procedures for metallic materials — General rules*
- [4] ISO 17637, *Non-destructive testing of welds — Visual testing of fusion-welded joints*
- [5] ISO 17659:2002, *Welding — Multilingual terms for welded joints with illustrations*
- [6] ISO 18785 (all parts), *Friction stir spot welding — Aluminium*
- [7] ISO 25239 (all parts), *Friction stir welding — Aluminium*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than one device provided that it is accessible by the sole named user only and that only one copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than one copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright and Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email cservices@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001
Email: cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001
Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004
Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070
Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

